



Cook's Pharmacy

Date: _____

Patient Name:	Phone Number	Physician Name:	CPSO #
Date of Birth		Phone Number:	

Frequently used combinations:

- Diphenhydramine 0.075%, Hydrocortisone 0.125%, Nystatin 0.25% and Lidocaine 0.4%
- Diphenhydramine 0.14%, triamcinolone 0.1%, Nystatin 12,000u/mL, Lidocaine 1% and Deoxy-d-glucose 0.1%

OR

Select the ingredient & strength desired (please circle)

- Ketamine 0.03% or 0.4% or ____%
- Gabapentin 0.6% or ____%
- Lidocaine 0.4% or 1% or 2% or ____%
- Tetracaine 0.5% or 1% or ____%
- Diphenhydramine 0.075% or 0.125% or 0.2% or ____%
- Hydrocortisone 0.125% or 0.5% or 1% or ____%
- Clotrimazole 2% or ____%
- Nystatin 7500u/mL or ____%
- Tetracycline 1.25% or ____%
- Additional ingredients _____ %
_____ %

Select Base:

Directions for regular base:

- Swish and spit 10-15mL or ____mL q 2-3 hours or ____ (frequency) as needed
- Swish and swallow ____mL q ____ (frequency) as needed

Directions for Mucolox Base: (private insurance preferred)

- Swish and spit 5mL BID to QID as needed
- Swish and swallow 5-10mL BID to QID as needed

Mitte: _____ mL Refill x _____

Signature: _____

CPSO: _____

Fax Prescription to
 Waterloo-519-744-2203
 Cambridge-1-888-999-4831